



ACKNOWLEDGMENTS ..... xxi

INTRODUCTION ..... xxiii

PART I

**Database Architecture**

**I Getting Started with the Oracle Architecture ..... 3**

Overview of Databases and Instances ..... 4

    Databases ..... 4

    Other Files ..... 6

    Oracle Managed Files ..... 8

    Instances ..... 9

About Software Installation ..... 10

    Oracle Installation Options and Components ..... 11

Creating a Database ..... 13

    Using the Oracle Database Configuration Assistant ..... 13

    Initialization Parameter Configuration: Memory ..... 21

    Manually Creating a Database ..... 31

Background Processes ..... 33

Internal Database Structures ..... 37

    Tables, Columns, and Datatypes ..... 37

    Constraints ..... 40

    Abstract Datatypes ..... 42

    Partitions and Subpartitions ..... 43

    Users ..... 44

    Schemas ..... 44

    Indexes ..... 45

    Clusters ..... 46

    Hash Clusters ..... 47

    Views ..... 47

|  |           |
|--|-----------|
| Sequences  | 48        |
| Procedures   | 48        |
| Functions  | 48        |
| Packages   | 49        |
| Triggers   | 49        |
| Synonyms   | 50        |
| Privileges and Roles   | 51        |
| Database Links   | 51        |
| Segments, Extents, and Blocks  | 53        |
| Undo Segments and Rollback Segments                                  | 54        |
| Materialized Views   | 54        |
| Context Areas  | 55        |
| Program Global Area (PGA)  | 55        |
| Backup/Recovery Capabilities   | 56        |
| Security Capabilities  | 58        |
| Using OEM  | 59        |
| <b>2 Hardware Configurations and Considerations</b>                  | <b>61</b> |
| Architecture Overview  | 62        |
| Stand-Alone Hosts  | 63        |
| Stand-Alone Hosts with Disk Arrays                                   | 64        |
| Stand-Alone Hosts with Disk Shadowing                                | 68        |
| Stand-Alone Hosts with Multiple Databases                            | 69        |
| Networked Hosts  | 71        |
| Networks of Databases  | 72        |
| Remote Updates: The Advanced Replication Option                      | 74        |
| Real Application Clusters  | 76        |
| Multiple Processors: The Parallel Query and<br>Parallel Load Options | 78        |
| Client/Server Database Applications                                  | 79        |
| Three-Tier Architectures   | 80        |
| Oracle Enterprise Gateway Access                                     | 82        |
| Standby Databases  | 82        |
| Replicated Databases   | 84        |
| External File Access   | 85        |
| External Table Access  | 86        |
| <b>3 Planning and Managing Tablespaces</b>                           | <b>87</b> |
| The End Product  | 88        |
| The Optimal Flexible Architecture (OFA)                              | 88        |
| The Starting Point: The SYSTEM Tablespace                            | 88        |
| Separating Application Data Segments: DATA                           | 90        |

|   |            |
|---|------------|
| Locally Managed Tablespaces   | 90         |
| Separating Low-Usage Data Segments: DATA_2                          | 91         |
| Separating Application Index Segments: INDEXES                      | 92         |
| Separating Low-Usage Index Segments: INDEXES_2                      | 93         |
| Separating Tools Segments: TOOLS                                    | 94         |
| Separating Tools Indexes: TOOLS_I                                   | 94         |
| Separating Rollback Segments: RBS                                   | 95         |
| Separating Specialty Rollback Segments: RBS_2                       | 95         |
| Using an Undo Tablespace  | 96         |
| Separating Temporary Segments: TEMP                                 | 96         |
| Separating User-Specific Temporary Segments: TEMP_USER              | 97         |
| Separating Users: USERS   | 98         |
| Additional Tablespace Types   | 99         |
| Advanced Tablespace Types   | 99         |
| Commonsense Logical Layouts   | 101        |
| Solutions   | 103        |
| <b>4 Physical Database Layouts</b>                                  | <b>105</b> |
| Database File Layout  | 106        |
| I/O Contention among Datafiles                                      | 107        |
| I/O Bottlenecks among All Database Files                            | 109        |
| Concurrent I/O among Background Processes                           | 112        |
| Defining the Recoverability and<br>Performance Goals for the System | 113        |
| Defining the System Hardware and Mirroring Architecture             | 113        |
| Identifying Disks That Can Be Dedicated to the Database             | 114        |
| Choosing the Right Layout   | 115        |
| Verification of I/O Estimates                                       | 118        |
| Solutions   | 120        |
| Small Development Database Layout                                   | 120        |
| Production OLTP Database Layout                                     | 121        |
| Production OLTP Database with Historical Data Layout                | 121        |
| Data Warehouse Layout   | 122        |
| File Location   | 124        |
| Database Space Usage Overview                                       | 125        |
| Implications of the storage Clause                                  | 126        |
| Locally Managed Tablespaces   | 127        |
| Table Segments  | 129        |
| Index Segments  | 129        |
| Rollback Segments   | 130        |
| Temporary Segments  | 130        |
| Free Space  | 132        |

|  |     |
|--|-----|
| Resizing Datafiles .....                               | 134 |
| Automating Datafile Extensions .....                   | 134 |
| How to Move Database Files .....                       | 135 |
| Moving Datafiles .....                                 | 135 |
| Moving a Datafile with Oracle Enterprise Manager ..... | 138 |
| Moving Online Redo Log Files .....                     | 143 |
| Moving Control Files .....                             | 145 |
| How to Deallocate Space from Segments .....            | 146 |
| Shrinking Datafiles .....                              | 146 |
| Shrinking Tables, Clusters, and Indexes .....          | 147 |
| How to Rebuild Indexes .....                           | 149 |
| Online Index Rebuilds .....                            | 150 |
| Using Oracle Managed Files (OMFs) .....                | 150 |
| Configuring the Environment .....                      | 150 |
| Creating Oracle Managed Files .....                    | 151 |
| Maintenance of Oracle Managed Files .....              | 152 |
| Physically Fit .....                                   | 153 |

## PART II

### Database Management

|   |            |
|---|------------|
| <b>5 Managing the Development Process .....</b> | <b>157</b> |
| Three Critical Elements of Success .....        | 158        |
| Cultural Processes .....                        | 159        |
| Management Processes .....                      | 160        |
| Defining the Environment .....                  | 160        |
| Role Definitions .....                          | 161        |
| Deliverables .....                              | 163        |
| Resource Management and Stored Outlines .....   | 166        |
| Sizing Database Objects .....                   | 174        |
| Iterative Development .....                     | 198        |
| Iterative Column Definitions .....              | 198        |
| Moving Tables Online .....                      | 200        |
| Forcing Cursor Sharing .....                    | 202        |
| Technology .....                                | 202        |
| CASE Tools .....                                | 202        |
| Shared Directories .....                        | 203        |
| Project Management Databases .....              | 203        |
| Discussion Databases .....                      | 203        |
| Managing Package Development .....              | 203        |
| Generating Diagrams .....                       | 204        |

|  |            |
|--|------------|
| Space Requirements   | 204        |
| Tuning Goals   | 204        |
| Security Requirements  | 204        |
| Data Requirements  | 205        |
| Version Requirements   | 205        |
| Execution Plans  | 205        |
| Acceptance Test Procedures                                     | 206        |
| The Testing Environment  | 206        |
| The Managed Environment  | 207        |
| <b>6 Monitoring Space Usage</b>                                | <b>209</b> |
| Common Problem Areas   | 210        |
| Running Out of Free Space in a Tablespace                      | 211        |
| Insufficient Space for Temporary Segments                      | 211        |
| Rollback Segments That Have Reached<br>Their Maximum Extension | 212        |
| Fragmentation of Data Segments                                 | 212        |
| Fragmented Free Space  | 213        |
| Improperly Sized SGA Areas                                     | 214        |
| Target Selection   | 214        |
| The End Product  | 214        |
| Creating the Command Center Database                           | 218        |
| Getting the Data   | 223        |
| Generating Alert Reports                                       | 229        |
| The Space Summary Report                                       | 233        |
| Purging Data   | 237        |
| Monitoring Memory Objects                                      | 237        |
| Additional Alerts and Warnings                                 | 238        |
| Monitoring File I/O Distribution                               | 238        |
| Rate of Space Allocation Within an Object                      | 243        |
| The Well-Managed Database                                      | 246        |
| <b>7 Managing Transactions</b>                                 | <b>247</b> |
| Rollback Segments Overview                                     | 248        |
| How the Database Uses Rollback Segments                        | 249        |
| Activating Rollback Segments                                   | 253        |
| Specifying a Rollback Segment for a Transaction                | 254        |
| Space Usage Within Rollback Segments                           | 254        |
| The optimal storage Clause                                     | 258        |
| Monitoring Rollback Segment Usage                              | 260        |
| Shrinking Rollback Segments                                    | 260        |
| Monitoring Current Status                                      | 261        |

|  |            |
|--|------------|
| Monitoring Dynamic Extensions .....                              | 262        |
| Transactions per Rollback Segment .....                          | 265        |
| Data Volumes in Rollback Segments .....                          | 266        |
| Using Oracle Enterprise Manager                                  |            |
| to Manage Rollback Segments .....                                | 267        |
| Creating a Rollback Segment from OEM .....                       | 267        |
| Creating a Rollback Segment Like an Existing Rollback Segment .. | 270        |
| Placing a Rollback Segment Online .....                          | 271        |
| Placing a Rollback Segment Offline .....                         | 271        |
| Removing a Rollback Segment .....                                | 272        |
| Choosing the Number and Size .....                               | 272        |
| Transaction Entry Volume .....                                   | 272        |
| Number of Transactions .....                                     | 273        |
| Determining the optimal Size .....                               | 274        |
| Creating the Rollback Segments .....                             | 275        |
| Production Versus Data Load Rollback Segments .....              | 275        |
| Solutions .....  | 277        |
| OLTP Applications .....  | 277        |
| Data Warehouses/Batch Applications .....                         | 278        |
| Using Undo Tablespaces .....                                     | 279        |
| Setting Undo Retention .....                                     | 280        |
| Creating an Undo Tablespace .....                                | 280        |
| Monitoring an Undo Tablespace .....                              | 281        |
| System-Managed Undo Solutions .....                              | 281        |
| <b>8 Database Tuning .....</b>                                   | <b>283</b> |
| Tuning Application Design .....                                  | 284        |
| Effective Table Design .....                                     | 285        |
| Distribution of CPU Requirements .....                           | 286        |
| Effective Application Design .....                               | 288        |
| Tuning SQL .....   | 289        |
| Impact of Order on Load Rates .....                              | 291        |
| Additional Indexing Options .....                                | 292        |
| Generating Explain Plans .....                                   | 294        |
| Tuning Memory Usage .....  | 297        |
| Specifying the Size of the SGA .....                             | 302        |
| Using the Cost-Based Optimizer .....                             | 303        |
| Tuning Data Storage .....  | 305        |
| Defragmentation of Segments .....                                | 305        |
| Evaluating Index Usage .....                                     | 308        |
| Locally Managed Tablespaces .....                                | 309        |
| Defragmentation of Free Extents .....                            | 310        |

|   |            |
|---|------------|
| Identifying Chained Rows .....                              | 314        |
| Increasing the Oracle Block Size .....                      | 315        |
| Using Index-Organized Tables .....                          | 316        |
| Tuning Data Manipulation .....                              | 317        |
| Bulk Inserts: Using the SQL*Loader Direct Path Option ..... | 318        |
| Bulk Inserts: Common Traps and Successful Tricks .....      | 320        |
| Bulk Deletes: The truncate Command .....                    | 322        |
| Partitions .....  | 323        |
| Tuning Physical Storage .....                               | 324        |
| Using Raw Devices .....                                     | 324        |
| Using RAID and Mirroring .....                              | 324        |
| Tuning Logical Storage .....                                | 325        |
| Reducing Network Traffic .....                              | 325        |
| Replication of Data .....                                   | 325        |
| Using Remote Procedure Calls .....                          | 332        |
| Using OEM and the Performance Tuning Packs .....            | 334        |
| The Oracle Expert Pack .....                                | 335        |
| The Oracle Performance Manager Option .....                 | 337        |
| Tuning Solutions .....                                      | 341        |
| <b>9 Using STATSPACK .....</b>                              | <b>345</b> |
| Installing STATSPACK .....                                  | 346        |
| Security of the PERFSTAT Account .....                      | 347        |
| Postinstallation .....                                      | 347        |
| Gathering Statistics .....                                  | 348        |
| Running the Statistics Report .....                         | 351        |
| Managing the STATSPACK Data .....                           | 355        |
| Deinstalling STATSPACK .....                                | 356        |
| <b>10 Database Security and Auditing .....</b>              | <b>357</b> |
| Security Capabilities .....                                 | 358        |
| Account Security .....                                      | 358        |
| Object Privileges .....                                     | 359        |
| System-Level Roles and Privileges .....                     | 359        |
| Implementing Security .....                                 | 359        |
| The Starting Point: Operating System Security .....         | 359        |
| Creating Users .....  | 360        |
| Dropping Users .....  | 364        |
| System-Level Privileges .....                               | 364        |
| User Profiles .....   | 370        |
| Password Management .....                                   | 372        |
| Preventing Password Reuse .....                             | 375        |
| Setting Password Complexity .....                           | 376        |

|  |            |
|--|------------|
| Tying Database Accounts to Host Accounts .....             | 383        |
| How to Use a Password File for Authentication .....        | 385        |
| Password Protection .....                                  | 386        |
| Object-Level Privileges .....                              | 388        |
| Listing the Privileges .....                               | 393        |
| Limiting Available Commands: Product User Profiles .....   | 395        |
| Password Security During Logins .....                      | 397        |
| Password Encryption and Trickery .....                     | 397        |
| How Passwords Are Stored .....                             | 397        |
| Setting Impossible Passwords .....                         | 398        |
| Becoming Another User .....                                | 399        |
| Virtual Private Databases .....                            | 403        |
| Creating a VPD .....                                       | 404        |
| Auditing .....   | 412        |
| Login Audits .....   | 412        |
| Action Audits .....  | 413        |
| Object Audits .....  | 415        |
| Protecting the Audit Trail .....                           | 417        |
| Security in a Distributed Environment .....                | 417        |
| Solutions .....  | 418        |
| <b>II Backup and Recovery Options .....</b>                | <b>419</b> |
| Capabilities .....   | 420        |
| Logical Backups .....                                      | 420        |
| The Export/Import Process .....                            | 420        |
| Physical Backups .....                                     | 421        |
| Offline Backups .....                                      | 421        |
| Online Backups .....                                       | 422        |
| Implementations .....                                      | 423        |
| Export .....   | 423        |
| Import .....   | 434        |
| Implementing Offline Backups .....                         | 441        |
| Implementing Online Backups .....                          | 444        |
| Using LogMiner .....                                       | 456        |
| Standby Databases .....                                    | 468        |
| Integration of Backup Procedures .....                     | 469        |
| Integration of Logical and Physical Backups .....          | 470        |
| Integration of Database and Operating System Backups ..... | 471        |
| <b>12 Using Recovery Manager (RMAN) .....</b>              | <b>473</b> |
| About Recovery Manager .....                               | 474        |
| Recovery Manager Architecture .....                        | 475        |



|   |     |
|---|-----|
| Using the Recovery Manager and RMAN ..... | 480 |
| Using the OEM Backup Manager .....        | 489 |
| Recovery Using OEM .....                  | 499 |
| Generating Lists and Reports .....        | 506 |
| Some RMAN Recommendations .....           | 509 |

### PART III

## Networked Oracle

|  |            |
|--|------------|
| <b>13 Oracle Net .....</b>   | <b>515</b> |
| Overview of Oracle Net .....   | 516        |
| Connect Descriptors .....  | 520        |
| Service Names .....  | 521        |
| Replacing tnsnames.ora with the Oracle Internet Directory .....                | 522        |
| Listeners .....  | 522        |
| Listeners in Oracle9i .....  | 525        |
| Using the Oracle Net Configuration Assistant .....                             | 526        |
| Configuring the Listener .....   | 528        |
| Using the Oracle Net Manager .....   | 535        |
| The Oracle Connection Manager .....  | 538        |
| Using Connection Manager .....   | 539        |
| Directory Naming with Oracle Internet Directory .....                          | 545        |
| Using Oracle Names .....   | 547        |
| Starting the Listener Server Process .....                                     | 548        |
| Controlling the Listener Server Process .....                                  | 549        |
| Usage Example: Client/Server Applications .....                                | 552        |
| Usage Example: Database Links .....  | 553        |
| Usage Example: The copy Command .....  | 554        |
| Oracle Names Server Versus Client Configurations or<br>Directory Servers ..... | 556        |
| Tuning Oracle Net .....  | 557        |
| UNIX and Oracle Net .....  | 559        |
| Identification of Hosts .....  | 559        |
| Identification of Databases .....  | 560        |
| Debugging Connection Problems .....  | 561        |
| <b>14 Tuning 9iAS .....</b>  | <b>563</b> |
| Starting, Stopping, and Restarting iAS (Apache) .....                          | 565        |
| Tuning Apache and TCP .....  | 567        |
| Enhancing Security of the Apache Installation .....                            | 568        |
| Tuning the Oracle HTTP Server Configuration .....                              | 568        |
| Using the Oracle Caching Services .....  | 570        |

|   |            |
|---|------------|
| Oracle Web Cache .....                                    | 570        |
| Using the Oracle Web Cache .....                          | 571        |
| Oracle Web Cache Manager .....                            | 572        |
| Invalidating Cached Documents .....                       | 588        |
| Load Balancing among Application Servers .....            | 590        |
| Oracle9iAS Database Cache .....                           | 590        |
| How the Database Cache Works .....                        | 591        |
| Taking Advantage of the Oracle9iAS Database Cache .....   | 592        |
| <b>15 Managing Large Databases .....</b>                  | <b>593</b> |
| Setting Up the Environment .....                          | 594        |
| Sizing Large Databases .....                              | 594        |
| Sizing Support Areas .....                                | 600        |
| Choosing a Physical Layout .....                          | 600        |
| Partitions .....  | 602        |
| Creating Materialized Views .....                         | 610        |
| Creating and Managing Index-Organized Tables .....        | 612        |
| Creating and Managing External Tables .....               | 613        |
| Creating and Managing Global Temporary Tables .....       | 614        |
| Creating and Managing Bitmap Indexes .....                | 614        |
| Managing Transactions .....                               | 616        |
| Configuring the Batch Transaction Environment .....       | 616        |
| Loading Data .....  | 618        |
| Inserting Data .....                                      | 619        |
| Deleting Data .....                                       | 620        |
| Backups .....   | 624        |
| Evaluating Backup Needs and Strategies .....              | 624        |
| Developing the Backup Plan .....                          | 626        |
| Tuning .....  | 627        |
| Tuning Queries of Large Tables .....                      | 628        |
| Using Transportable Tablespaces .....                     | 629        |
| Generating a Transportable Tablespace Set .....           | 630        |
| Plugging in the Transportable Tablespace Set .....        | 631        |
| Locally Managed Tablespaces .....                         | 632        |
| <b>16 Managing Distributed Databases .....</b>            | <b>635</b> |
| Remote Queries .....                                      | 637        |
| Remote Data Manipulation: Two-Phase Commit .....          | 638        |
| Dynamic Data Replication .....                            | 640        |
| Managing Distributed Data .....                           | 641        |
| The Infrastructure: Enforcing Location Transparency ..... | 642        |
| Managing Database Links .....                             | 647        |

|   |            |
|---|------------|
| Managing Database Triggers .....              | 649        |
| Managing Materialized Views .....             | 651        |
| Using OEM to Create a Materialized View ..... | 664        |
| Managing Distributed Transactions .....       | 673        |
| Resolving In-Doubt Transactions .....         | 673        |
| Monitoring Distributed Databases .....        | 675        |
| Tuning Distributed Databases .....            | 676        |
| Using the Job Queues .....                    | 679        |
| Managing Jobs .....                           | 680        |
| <b>A SQL Reference for DBA Commands .....</b> | <b>683</b> |
| ALTER DATABASE .....                          | 684        |
| ALTER INDEX .....                             | 702        |
| ALTER MATERIALIZED VIEW .....                 | 714        |
| ALTER MATERIALIZED VIEW LOG .....             | 721        |
| ALTER OUTLINE .....                           | 725        |
| ALTER PROFILE .....                           | 726        |
| ALTER ROLE .....                              | 727        |
| ALTER ROLLBACK SEGMENT .....                  | 728        |
| ALTER SEQUENCE .....                          | 730        |
| ALTER SYSTEM .....                            | 731        |
| ALTER TABLE .....                             | 738        |
| ALTER TABLESPACE .....                        | 782        |
| ALTER TRIGGER .....                           | 787        |
| ALTER USER .....                              | 788        |
| ASSOCIATE STATISTICS .....                    | 792        |
| AUDIT .....                                   | 794        |
| constraint_clause .....                       | 801        |
| CREATE CONTROLFILE .....                      | 813        |
| CREATE DATABASE .....                         | 817        |
| CREATE DATABASE LINK .....                    | 823        |
| CREATE DIRECTORY .....                        | 825        |
| CREATE INDEX .....                            | 826        |
| CREATE LIBRARY .....                          | 839        |
| CREATE MATERIALIZED VIEW .....                | 839        |
| CREATE MATERIALIZED VIEW LOG .....            | 849        |
| CREATE OUTLINE .....                          | 853        |
| CREATE PFILE .....                            | 855        |
| CREATE PROFILE .....                          | 855        |
| CREATE ROLE .....                             | 859        |
| CREATE ROLLBACK SEGMENT .....                 | 861        |
| CREATE SEQUENCE .....                         | 862        |

|                                   |         |
|-----------------------------------|---------|
| CREATE SPFILE .....               | 865     |
| CREATE SYNONYM .....              | 866     |
| CREATE TABLE .....                | 868     |
| CREATE TABLESPACE .....           | 898     |
| CREATE TEMPORARY TABLESPACE ..... | 903     |
| CREATE TRIGGER .....              | 906     |
| CREATE USER .....                 | 912     |
| CREATE VIEW .....                 | 914     |
| EXPLAIN PLAN .....                | 919     |
| filespec .....                    | 921     |
| GRANT .....                       | 922     |
| NOAUDIT .....                     | 936     |
| RENAME .....                      | 938     |
| REVOKE .....                      | 939     |
| SET CONSTRAINT[S] .....           | 943     |
| SET ROLE .....                    | 943     |
| SET TRANSACTION .....             | 944     |
| storage_clause .....              | 946     |
| TRUNCATE .....                    | 951     |
| <br>Index.....                    | <br>955 |