



Contents

| | |
|-----------------------|-----|
| ACKNOWLEDGMENTS | xix |
| INTRODUCTION | xxi |

PART I

UNIX Server Basics

| | |
|--|----------|
| I Introduction to UNIX | 3 |
| Introduction to the UNIX Architecture | 4 |
| Dialects of UNIX | 5 |
| System Administration in UNIX | 6 |
| UNIX and DOS Commands | 9 |
| Introduction to UNIX Commands | 9 |
| UNIX Command Syntax | 11 |
| Redirecting UNIX Output | 13 |
| Piping UNIX Commands | 14 |
| UNIX Shells | 19 |
| Using UNIX Command Options | 21 |
| Common Oracle UNIX Commands | 23 |
| Capturing Server Information with UNIX | 23 |
| The UNIX wc Command | 24 |
| Capturing Date Information in UNIX | 24 |
| UNIX User Identification | 27 |

| | |
|---|-----------|
| Locating Files in UNIX | 27 |
| Additional UNIX Utility Commands | 28 |
| Viewing and Editing Files in UNIX | 30 |
| File Management in UNIX | 31 |
| The UNIX touch Command | 32 |
| Controlling UNIX File Permission with umask | 33 |
| The UNIX chmod Command | 34 |
| Directory Management in UNIX | 39 |
| The UNIX pwd Command | 39 |
| The UNIX ls Command | 40 |
| The Oracle Environment in UNIX | 44 |
| Basic UNIX Environment Commands | 45 |
| The UNIX Command Line Editor | 45 |
| Oracle Aliases for UNIX | 47 |
| A Standard UNIX Prompt for Oracle Users | 48 |
| Changing Your Oracle Environment in UNIX | 49 |
| Dissecting Complex UNIX Commands | 51 |
| Deciphering a Complex UNIX Command | 52 |
| Conclusion | 54 |
| 2 UNIX Server Management | 57 |
| Process Internals for UNIX | 58 |
| The Run Queue and the Sleep Queue in UNIX | 58 |
| Process Command Execution | 59 |
| The Fork System Call | 61 |
| The UNIX Buffer Cache | 63 |
| Memory Management in UNIX | 64 |
| Virtual Memory in UNIX | 65 |
| Jobs of the Oracle DBA and the UNIX System Administrator .. | 66 |
| Process Management Commands in UNIX | 67 |
| The UNIX ps Command | 67 |
| The UNIX kill Command | 70 |
| Killing Stubborn UNIX Processes | 71 |
| Displaying Kernel Values in UNIX | 71 |
| Displaying Server Values in HP-UX | 71 |
| Displaying Server Kernel Values in AIX UNIX | 74 |

| | |
|--|------------|
| Displaying the Number of CPU Processors in UNIX | 76 |
| Using nice and priocntl to Change UNIX Execution Priority .. | 77 |
| Memory Management Commands in UNIX | 78 |
| Displaying the Total RAM on the UNIX Server | 78 |
| Viewing Allocated RAM Memory Segments in UNIX | 81 |
| Viewing RAM Swap Paging in UNIX | 84 |
| Making Oracle RAM Non-Swappable in HP-UX and Solaris .. | 85 |
| Semaphore Management in UNIX | 87 |
| System Default Values for Semaphores | 88 |
| Counting Used Semaphores | 88 |
| Determine What Oracle Database Has a Semaphore Set | 88 |
| Removing a Semaphore Set for Oracle | 90 |
| Displaying System Log Messages | 90 |
| Show Server Log on HP-UX | 91 |
| Show Server Log on AIX | 91 |
| UNIX Server Monitoring Commands | 91 |
| Using the UNIX top Utility | 91 |
| Using svmon on IBM AIX | 94 |
| The sar Utility in UNIX | 95 |
| Using the UNIX sadc Utility | 98 |
| Using the glance Utility | 98 |
| Overview of the vmstat Utility | 106 |
| Dialect Differences in vmstat | 108 |
| What to Look for in vmstat Output | 109 |
| Identifying CPU Bottlenecks with vmstat | 110 |
| Identifying High CPU Usage with vmstat | 111 |
| The UNIX Watch Command | 112 |
| Conclusion | 113 |
| 3 Capturing UNIX Server Statistics with STATSPACK | 115 |
| UNIX Monitoring Goals | 116 |
| UNIX CPU Monitoring | 116 |
| Monitoring RAM Memory Consumption | 122 |
| Capturing Server Performance Data Inside STATSPACK | 123 |
| A Script to Capture vmstat Information | 123 |
| Internals of the vmstat Capture Script | 127 |
| Reporting vmstat Information on Other Oracle Servers | 129 |

| | |
|---|------------|
| Reporting on UNIX Server Statistics | 130 |
| Server Exception Reports | 130 |
| Daily vmstat Trend Reports | 134 |
| Long-Term Server Analysis and Trending | 138 |
| Daily Server Alert Report | 138 |
| Conclusion | 141 |
| 4 Disk Management in UNIX | 143 |
| Basic UNIX Disk Management Commands | 145 |
| Viewing Physical Volumes | 145 |
| Viewing UNIX Volume Groups | 145 |
| Display UNIX Mount Points | 146 |
| Setting Your UNIX Oracle Environment for Dialect Differences .. | 148 |
| Monitoring File System Free Space in UNIX | 149 |
| Configuring Oracle Tablespaces and UNIX Datafiles | 152 |
| Oracle Tuning Factors that Influence Disk I/O | 155 |
| Oracle Instance | 155 |
| Oracle Objects | 155 |
| Oracle SQL | 156 |
| Oracle Internals and Disk I/O | 156 |
| The db_file_multiblock_read_count and Disk I/O | 156 |
| The Database Writer Process and Disk I/O | 157 |
| Oracle File Organization Techniques | 163 |
| Transient Disk Hot Spots | 165 |
| Mapping Oracle Disk Architectures | 172 |
| The Multiple RAM Buffer Issue | 173 |
| File Striping with Oracle | 174 |
| Using RAID with Oracle | 175 |
| Using Oracle with Raw Devices | 176 |
| Load Balancing Disks with Oracle Databases | 177 |
| STATSPACK Reports for Oracle Datafiles | 178 |
| Detailed Disk and File I/O with STATSPACK | 185 |
| A STATSPACK Report on Specific I/O Activity | 186 |
| A STATSPACK Script to Identify Hot Datafiles | 189 |
| The Approach to Locating Hot Disks | 189 |
| Viewing I/O Signatures with STATSPACK | 190 |
| Conclusion | 195 |

| | | |
|----------|--|------------|
| 5 | Network Management in UNIX for Oracle | 199 |
| | Network Tuning in a UNIX Environment | 200 |
| | Using the UNIX netstat Utility | 201 |
| | Oracle Networking and UNIX | 203 |
| | Preparing to Connect to a Remote Server | 204 |
| | Checking Net8 Adapters in UNIX | 206 |
| | TNS and UNIX for Oracle | 206 |
| | Managing Net8 in a UNIX Environment | 208 |
| | Managing the UNIX Oracle Listener | 208 |
| | Debugging UNIX Net8 Problems | 211 |
| | Optimizing Oracle Net8 Configuration | 212 |
| | The tcp.nodelay Parameter in protocol.ora | 213 |
| | The automatic_ipc parameter of sqlnet.ora | 213 |
| | SDU and TDU parameters in tnsnames.ora | 214 |
| | The queuesize Parameter in listener.ora | 216 |
| | The break_poll_skip Parameter of sqlnet.ora | 216 |
| | The disable_oob Parameter of sqlnet.ora | 217 |
| | The epc_disabled Environment Variable | 217 |
| | Other Oracle Features that Affect Network Behavior | 218 |
| | Using Array Fetches to Improve Network Throughput | 218 |
| | Using the Multi-threaded Server | 218 |
| | Monitoring the MTS with the lsnrctl Command | 220 |
| | Connection Pooling and Network Performance | 222 |
| | ODBC and Network Performance | 223 |
| | Tuning with Oracle Replication | 224 |
| | Monitoring Network Performance from Oracle STATSPACK | 226 |
| | Conclusion | 229 |

PART II

The Interaction Between Oracle and the UNIX Server

| | | |
|----------|--|------------|
| 6 | Oracle Interfaces with the UNIX Server | 233 |
| | The Oracle Background Processes in UNIX | 234 |
| | Displaying CPU and RAM for Oracle UNIX Processes | 235 |
| | The Main Oracle Background Processes | 236 |

| | |
|--|------------|
| Monitoring Oracle CPU Consumption in UNIX | 239 |
| Oracle Interaction with the UNIX Server CPUs | 241 |
| Oracle and RAM Usage | 247 |
| Understanding UNIX RAM Memory Paging | 248 |
| SGA Memory Pinning | 250 |
| RAM Page Fencing for Oracle | 251 |
| Oracle Interaction with the UNIX Disk I/O Subsystem | 253 |
| Checking for Oracle File Wait Conditions | 254 |
| Conclusion | 256 |
| 7 Oracle Sessions and UNIX | 257 |
| Monitoring UNIX Dedicated Connections to Oracle | 258 |
| UNIX Interaction with the Multi-threaded Server | 262 |
| Prerequisites for Using the MTS | 262 |
| Oracle9i Dynamic RAM and UNIX | 271 |
| Oracle9i and UNIX Granules | 273 |
| Changing Dynamic SGA and PGA Components | 275 |
| Oracle9i PGA Memory Allocation for Dedicated Connections | 276 |
| Automatic RAM Memory Management in Oracle9i | 276 |
| Moving Toward a Self-tuning Oracle9i Database | 284 |
| Conclusion | 293 |
| 8 Oracle File Management in UNIX | 295 |
| File Management in UNIX | 296 |
| General UNIX File Management Commands | 298 |
| Oracle Performance and Disk I/O | 306 |
| Reducing Disk I/O in UNIX | 307 |
| Oracle9i and Multiple Block Sizes | 312 |
| Large Blocks and Oracle Indexes | 315 |
| Monitoring UNIX Disk I/O | 317 |
| Building the Oracle File-to-Disk Architecture | 318 |
| Reporting on the Oracle Disk Architecture | 319 |
| Extending STATSPACK for Disk I/O Data | 320 |
| The UNIX iostat Utility | 320 |
| Defining the STATSPACK Table | 323 |
| Capturing the iostat Information | 324 |
| Generating iostat Reports | 326 |
| Conclusion | 329 |

| | |
|---|------------|
| 9 Oracle Server Exception Reports in UNIX | 331 |
| Scheduling and Customizing Oracle Alert Reports | 332 |
| Introduction to crontab | 332 |
| Using crontab with Oracle | 334 |
| Oracle Trace File Alert Report | 335 |
| Web Server Alert Report | 338 |
| A Real-Time Check for Oracle Problems | 339 |
| Preliminary Checking and Set-up | 341 |
| Get the UNIX Home Directory | 342 |
| Get the Free Space Limits | 342 |
| Get the E-mail Lists | 343 |
| Terminate the Script if the Database Is Down | 343 |
| Clean Up Old Holding Files | 344 |
| Get Dictionary File Locations | 344 |
| Get the Fully Qualified UNIX Path Names for Directories ... | 346 |
| Alert for Bad Messages in the Alert Log | 347 |
| Mark the Dialect Differences for File Space Commands | 349 |
| Check the Free Space in the Archived Redo Log Directory ... | 350 |
| Check the Free Space in the UNIX Home Directory | 352 |
| Check Other UNIX Mount Points | 353 |
| Conclusion | 355 |

PART III

UNIX Administration for the Oracle DBA

| | |
|--|------------|
| 10 UNIX Environmental Administration for Oracle | 359 |
| Managing the UNIX Environment for the oracle User | 360 |
| A Standard UNIX Prompt | 361 |
| Useful UNIX Aliases for Oracle | 362 |
| Standard Aliases for Changing the ORACLE_SID | 362 |
| Standard Command History | 364 |
| File Management Commands in UNIX | 365 |
| Change Default File Permissions with umask | 365 |
| Change File Permissions in UNIX | 365 |
| Change File Owners in UNIX | 367 |
| Create a UNIX Soft Link for Oracle Files | 367 |

| | |
|---|------------|
| Copy tnsnames.ora to All UNIX Servers | 370 |
| Make a UNIX Tape Backup | 371 |
| A UNIX Script to Detect Listener Failure | 372 |
| A Simple Script to Exit When the Database Is Not Running .. | 373 |
| Detect When Oracle Is Not Accepting Connections | 373 |
| Conclusion | 374 |
| 11 Oracle Task Management in UNIX | 377 |
| Oracle Job Management in UNIX | 378 |
| Submitting Oracle Jobs in the Background | 380 |
| Watch the Execution of a Background Process | 381 |
| UNIX Task Management Techniques | 381 |
| Parameter Checking for Oracle Shell Scripts | 381 |
| Make Sure the UNIX User Is oracle | 382 |
| Validate an \$ORACLE_SID Being Passed to a UNIX Script ... | 382 |
| Multiplexing Oracle Tasks in UNIX | 383 |
| A UNIX Script to Ensure a Daemon Is Running | 384 |
| Conclusion | 385 |
| 12 Miscellaneous UNIX Scripts for Oracle | 387 |
| How to Build UNIX Commands into Scripts | 388 |
| Using UNIX to Locate and Tune Oracle SQL | 389 |
| Finding All SQL Referencing a Specific Table | 390 |
| Using UNIX to Parse the SQL File | 391 |
| Miscellaneous UNIX Tips and Techniques | 393 |
| Add the UNIX Date to an Oracle Filename | 393 |
| Monitor the Performance of Oracle Parallel Server | 394 |
| UNIX Gotcha: Clobber Your Entire UNIX Server | 395 |
| Looping Between UNIX Servers | 396 |
| Executing SQL*Plus on All Remote UNIX Servers | 397 |
| Sending UNIX Files to Internet Mail | 398 |
| Changing a String for All Files in a Directory | 399 |
| How to Use UNIX to Display Row Information | 400 |
| Killing UNIX Oracle Processes | 401 |
| Conclusion | 402 |

| | |
|--|---------|
| Appendix of UNIX Scripts | 403 |
| Library Cache Mining Scripts | 404 |
| STATSPACK Extension Scripts | 418 |
| vmstat Scripts | 418 |
| Table and Object Extension Scripts for STATSPACK | 430 |
| iostat Reports | 446 |
| Miscellaneous UNIX Scripts | 451 |
| Index | 493 |